



**Marriott Bonvoy  
Boutiques**

**856 Ship Notice/Manifest**

Version 4010

Stage EDI ID: ZZ\*LB132954  
 Production EDI ID: ZZ\*LB132954

## 856 Ship Notice/Manifest

Functional Group = SH

### Header

USER REQ	REQ DES.	MAX USE	POS NO.	SEGMENT ID	SEGMENT NAME
M	M	1	010	ST	Transaction Set Header
M	M	1	020	BSN	Beginning Segment for Ship Notice

### Detail

USER REQ	REQ DES.	MAX USE	POS NO.	SEGMENT ID	SEGMENT NAME
<b>LOOP HL (Shipment Loop) Max: 200000 Required</b>					
M	M	1	010	HL	Hierarchical Level
O	O	20	110	TD1	Carrier Details (Quantity and Weight)
M	O	12	120	TD5	Carrier Details (Routing Sequence/Transit Time)
O	O	>1	150	REF	Reference Identification
M	O	10	200	DTM	Date/Time Reference
<b>LOOP N1 Max: 200 Required</b>					
O	M	1	220	N1	Name
O	O	2	230	N2	Additional Name Information
O	O	2	240	N3	Address Information
O	O	1	250	N4	Geographic Location
<b>LOOP HL (Order Loop) Max: 200000 Required</b>					
M	M	1	010	HL	Hierarchical Level
M	O	1	050	PRF	Purchase Order Reference
<b>LOOP HL (Package Loop) Max: 200000 Required</b>					
M	M	1	010	HL	Hierarchical Level
O	O	1	060	PO4	Item Physical Details
O	O	20	110	TD1	Carrier Details (Quantity and Weight)
M	O	>1	190	MAN	Marks and Numbers
<b>LOOP HL (Item Loop) Max: 200000 Required</b>					
M	M	1	010	HL	Hierarchical Level
M	O	1	020	LIN	Item Identification



M	O	1	030	SN1	Item Detail (Shipment)
O	O	200	070	PID	Product/Item Description

**Summary**

USER REQ	REQ DES.	MAX USE	POS NO.	SEGMENT ID	SEGMENT NAME
O	O	1	010	CTT	Transaction Totals
M	M	1	020	SE	Transaction Set Trailer

**ST**

**ST Transaction Set Header**

**Position:** 010  
**Loop:**  
**Level:** Header  
**User Req:** Required  
**Max Use:** 1  
**Notes:** Example: ST\*856\*0001

User Req	Req Des.	Ref. Des.	Data Element	Element Name	Data Type	Min/Max Len.
M	M	ST01	143	Transaction Set Identifier Code	ID	3/3
				856 Ship Notice/Manifest		
M	M	ST02	329	Transaction Set Control Number	AN	4/9
				Unique Control Number		

**BSN**

**BSN Beginning Segment for Ship Notice**

**Position:** 020  
**Loop:**  
**Level:** Header  
**User Req:** Required  
**Max Use:** 1  
**Notes:** Example: BSN\*00\*1234\*20240226\*1854

User Req	Req Des.	Ref. Des.	Data Element	Element Name	Data Type	Min/Max Len.
M	M	BSN01	353	Transaction Set Purpose Code 00 Original	ID	2/2
M	M	BSN02	396	Shipment Identification ID Assigned by the Vendor	AN	2/30
M	M	BSN03	373	Date YYYYMMDD	DT	8/8
M	M	BSN04	337	Time HHSS	TM	4/8
O	O	BSN05	1005	Hierarchical Structure Code 0001 Shipment, Order, Packaging, Item 0002 Shipment, Order, Item, Packaging	ID	4/4

**HL**

**HL Hierarchical Level**

**Position:** 010  
**Loop:** HL (Shipment Loop)  
**Level:** Detail  
**User Req:** Required  
**Max Use:** 1  
**Notes:** Example: HL\*1\*\*S

User Req	Req Des.	Ref. Des.	Data Element	Element Name	Data Type	Min/Max Len.
M	M	HL01	628	Hierarchical ID Number Follow standard	AN	1/12
M	M	HL03	735	Hierarchical Level Code S Shipment	ID	1/2

**TD1**

**TD1 Carrier Details (Quantity and Weight)**

**Position:** 110  
**Loop:** HL (Shipment Loop)  
**Level:** Detail  
**User Req:** Optional  
**Max Use:** 20  
**Notes:** Example: TD1\*\*\*\*\*15\*LB

User Req	Req Des.	Ref. Des.	Data Element	Element Name	Data Type	Min/Max Len.
M	O	TD107	81	Weight	R	1/10
				Weight of Shipment		
M	O	TD108	355	Unit or Basis for Measurement Code	ID	2/2
				LB Pound		

**TD5**

**TD5 Carrier Details (Routing Sequence/Transit Time)**

**Position:** 120  
**Loop:** HL (Shipment Loop)  
**Level:** Detail  
**User Req:** Required  
**Max Use:** 12  
**Notes:** Example: TD5\*B\*2\*UNSP\*\*UPS Ground\*\*\*\*\*CG

User Req	Req Des.	Ref. Des.	Data Element	Element Name	Data Type	Min/Max Len.
O	O	TD501	133	Routing Sequence Code	ID	1/2
				B Origin/Delivery Carrier (Any Mode)		
M	O	TD502	66	Identification Code Qualifier	ID	1/2
				2 Standard Carrier Alpha Code (SCAC)		
M	O	TD503	67	Identification Code	AN	2/80
				Carrier SCAC Code		
M	O	TD505	387	Routing	AN	1/35
				Class Code - This can be a free form field or if using the shipment code mappings will need to match the Custom Code that was setup. When sending the Custom Code, the corresponding CarrierCode and Class Code will automatically get populated.		
O	O	TD512	284	Service Level Code	ID	2/2

**REF**

**REF Reference Identification**

**Position:** 150  
**Loop:** HL (Shipment Loop)  
**Level:** Detail  
**User Req:** Optional  
**Max Use:** >1  
**Notes:** Example: REF\*CN\*48974954974  
 Can be populated up to 3 times.

User Req	Req Des.	Ref. Des.	Data Element	Element Name	Data Type	Min/Max Len.
M	M	REF01	128	Reference Identification Qualifier	ID	2/3
				CN / BM		
				CN Carrier's Reference Number (PRO/Invoice)		
				BM Bill of Lading Number		
M	O	REF02	127	Reference Identification	AN	1/30
				Based on the qualifier sent in the REF-01		

**DTM**

**DTM Date/Time Reference**

**Position:** 200  
**Loop:** HL (Shipment Loop)  
**Level:** Detail  
**User Req:** Required  
**Max Use:** 10

**Notes:** Example: DTM\*011\*20230607  
 \*Note that ship date is required, but Scheduled Delivery Date is Optional

User Req	Req Des.	Ref. Des.	Data Element	Element Name	Data Type	Min/Max Len.
M	M	DTM01	374	Date/Time Qualifier	ID	3/3
				011 Shipped		
				067 Current Schedule Delivery		
M	O	DTM02	373	Date	DT	8/8
				YYYYMMDD		

**N1**

**N1 Name**

**Position:** 220  
**Loop:** N1 (Shipment Loop)  
**Level:** Detail  
**User Req:** Optional  
**Max Use:** 1  
**Notes:** Example: N1\*SF\*Company Name

User Req	Req Des.	Ref. Des.	Data Element	Element Name	Data Type	Min/Max Len.
M	M	N101	98	Entity Identifier Code	ID	2/3
				SF Ship From		
M	O	N102	93	Name	AN	1/60
				Ship from/to name		

**N2**

**N2 Additional Name Information**

**Position:** 230  
**Loop:** N1 (Shipment Loop)  
**Level:** Detail  
**User Req:** Optional  
**Max Use:** 2

User Req	Req Des.	Ref. Des.	Data Element	Element Name	Data Type	Min/Max Len.
M	M	N201	93	Name	AN	1/60
				First Name		
O	O	N202	93	Name	AN	1/60
				Last Name		

**N3 Address Information**

**Position:** 240  
**Loop:** N1 (Shipment Loop)  
**Level:** Detail  
**User Req:** Optional  
**Max Use:** 2

User Req	Req Des.	Ref. Des.	Data Element	Element Name	Data Type	Min/Max Len.
M	M	N301	166	Address Information	AN	1/55
O	O	N302	166	Address Information	AN	1/55

**N4**

**N4 Geographic Location**

**Position:** 250  
**Loop:** N1 (Shipment Loop)  
**Level:** Detail  
**User Req:** Optional  
**Max Use:** 1  
**Notes:** Example: N4\*City\*ST\*12203

User Req	Req Des.	Ref. Des.	Data Element	Element Name	Data Type	Min/Max Len.
M	O	N401	19	City Name Ship from city	AN	2/30
M	O	N402	156	State or Province Code Ship from state	ID	2/2
M	O	N403	116	Postal Code Ship from zip	ID	3/15

**HL Hierarchical Level**

**Position:** 010  
**Loop:** HL (Order Loop)  
**Level:** Detail  
**User Req:** Required  
**Max Use:** 1  
**Notes:** Example: HL\*2\*1\*O

User Req	Req Des.	Ref. Des.	Data Element	Element Name	Data Type	Min/Max Len.
M	M	HL01	628	Hierarchical ID Number Follow standard	AN	1/12
M	O	HL02	734	Hierarchical Parent ID Number Follow standard	AN	1/12
M	M	HL03	735	Hierarchical Level Code O	ID	1/2

**PRF**

**PRF Purchase Order Reference**

**Position:** 050  
**Loop:** HL (Order Loop)  
**Level:** Detail  
**User Req:** Required  
**Max Use:** 1  
**Notes:** Example: PRF\*34543

User Req	Req Des.	Ref. Des.	Data Element	Element Name	Data Type	Min/Max Len.
M	M	PRF01	324	Purchase Order Number PO Number from Order	AN	1/22

**HL**

**HL Hierarchical Level**

**Position:** 010  
**Loop:** HL (Package Loop  
 )  
**Level:** Detail  
**User Req:** Required  
**Max Use:** 1  
**Notes:** Example: HL\*3\*2\*P

User Req	Req Des.	Ref. Des.	Data Element	Element Name	Data Type	Min/Max Len.
M	M	HL01	628	Hierarchical ID Number Follow standard	AN	1/12
M	O	HL02	734	Hierarchical Parent ID Number Follow standard	AN	1/12
M	M	HL03	735	Hierarchical Level Code P Pack	ID	1/2

**PO4**

**PO4 Item Physical Details**

**Position:** 060  
**Loop:** HL (Package Loop

)

**Level:** Detail

**User Req:** Optional

**Max Use:** 1

**Notes:** Example: PO4\*\*\*\*\*4\*3\*2\*IN~

User Req	Req Des.	Ref. Des.	Data Element	Element Name	Data Type	Min/Max Len.
O	O	PO410	82	Length	R	1/8
O	O	PO411	189	Width	R	1/8
O	O	PO412	65	Height	R	1/8
O	O	PO413	355	Unit or Basis for Measurement Code	ID	2/2
				IN	Inch	

**TD1**

**TD1 Carrier Details (Quantity and Weight)**

**Position:** 110  
**Loop:** HL (Package Loop  
 )  
**Level:** Detail  
**User Req:** Optional  
**Max Use:** 20  
**Notes:** Example: TD1\*CTN\*1\*\*\*\*G\*20\*LB~

User Req	Req Des.	Ref. Des.	Data Element	Element Name	Data Type	Min/Max Len.
O	O	TD101	103	Packaging Code CTN	AN	3/5
O	O	TD102	80	Lading Quantity	N0	1/7
O	O	TD106	187	Weight Qualifier G Gross Weight	ID	1/2
O	O	TD107	81	Weight	R	1/10
O	O	TD108	355	Unit or Basis for Measurement Code LB Pound	ID	2/2



**MAN Marks and Numbers**

**Position:** 190

**Loop:** HL (Package Loop

)

**Level:** Detail

**User Req:** Required

**Max Use:** >1

**Notes:** Example: MAN\*CP\*1Z0000000000000000

User Req	Req Des.	Ref. Des.	Data Element	Element Name	Data Type	Min/Max Len.
M	M	MAN01	88	Marks and Numbers Qualifier	ID	1/2
				CP Carrier-Assigned Package ID Number		
				GM SSCC-18 and Application Identifier		
M	M	MAN02	87	Marks and Numbers	AN	1/48
				Tracking Number / Container Code based on qualifier		

**HL**

**HL Hierarchical Level**

**Position:** 010  
**Loop:** HL (Item Loop)  
**Level:** Detail  
**User Req:** Required  
**Max Use:** 1  
**Notes:** Example: HL\*4\*3\*I

User Req	Req Des.	Ref. Des.	Data Element	Element Name	Data Type	Min/Max Len.
M	M	HL01	628	Hierarchical ID Number Follow standard	AN	1/12
M	O	HL02	734	Hierarchical Parent ID Number Follow standard	AN	1/12
M	M	HL03	735	Hierarchical Level Code I	ID	1/2
				I Item		

**LIN**

**LIN Item Identification**

**Position:** 020

**Loop:** HL (Item Loop)

**Level:** Detail

**User Req:** Required

**Max Use:** 1

**Notes:** Example: LIN\*01\*VN\*1234\*IN\*123456\*UP\*123456789012

User Req	Req Des.	Ref. Des.	Data Element	Element Name	Data Type	Min/Max Len.
M	O	LIN01	350	Assigned Identification Line Number - Must match line number from the original PO	AN	1/20
M	M	LIN02	235	Product/Service ID Qualifier VN Vendor's (Seller's) Item Number	ID	2/2
M	M	LIN03	234	Product/Service ID	AN	1/48
O	O	LIN04	235	Product/Service ID Qualifier IN Buyer's Item Number	ID	2/2
O	O	LIN05	234	Product/Service ID	AN	1/48
O	O	LIN06	235	Product/Service ID Qualifier UP U.P.C. Consumer Package Code (1-5-5-1)	ID	2/2
O	O	LIN07	234	Product/Service ID	AN	1/48

**SN1**

**SN1 Item Detail (Shipment)**

**Position:** 030  
**Loop:** HL (Item Loop)  
**Level:** Detail  
**User Req:** Required  
**Max Use:** 1  
**Notes:** Example: SN1\*\*2\*EA\*\*2\*EA

User Req	Req Des.	Ref. Des.	Data Element	Element Name	Data Type	Min/Max Len.
M	M	SN102	382	Number of Units Shipped Number of units shipped	R	1/10
M	M	SN103	355	Unit or Basis for Measurement Code EA	ID	2/2
O	O	SN104	646	Quantity Shipped to Date Number of units ordered	R	1/15
O	O	SN105	330	Quantity Ordered EA	R	1/15

**PID**

**PID Product/Item Description**

**Position:** 070  
**Loop:** HL (Item Loop)  
**Level:** Detail  
**User Req:** Optional  
**Max Use:** 200  
**Notes:** Example: PID\*F\*\*\*\*Example Description

User Req	Req Des.	Ref. Des.	Data Element	Element Name	Data Type	Min/Max Len.
M	M	PID01	349	Item Description Type	ID	1/1
				F Free-form		
M	O	PID05	352	Description	AN	1/80
				Item description of what's being shipped		

**CTT Transaction Totals**

**Position:** 010  
**Loop:**  
**Level:** Summary  
**User Req:** Optional  
**Max Use:** 1  
**Notes:** Example: CTT\*1

User Req	Req Des.	Ref. Des.	Data Element	Element Name	Data Type	Min/Max Len.
M	M	CTT01	354	Number of Line Items	N0	1/6

**SE Transaction Set Trailer**

**Position:** 020  
**Loop:**  
**Level:** Summary  
**User Req:** Required  
**Max Use:** 1

User Req	Req Des.	Ref. Des.	Data Element	Element Name	Data Type	Min/Max Len.
M	M	SE01	96	Number of Included Segments	N0	1/10
M	M	SE02	329	Transaction Set Control Number	AN	4/9